



## ANAPHYLAXIS POLICY

### PURPOSE

To explain to Elevation Secondary College parents, carers, staff and students the processes and procedures in place to support students diagnosed as being at risk of suffering from anaphylaxis. This policy also ensures that Elevation Secondary College is compliant with Ministerial Order 706 and the Department's guidelines for anaphylaxis management.

### SCOPE

This policy applies to:

- All staff, including casual relief staff and volunteers
- All students who have been diagnosed with anaphylaxis, or who may require emergency treatment for an anaphylactic reaction, and their parents and carers.

### POLICY

#### School Statement

Elevation Secondary College will fully comply with Ministerial Order 706 and the associated guidelines published by the Department of Education and Training.

#### Anaphylaxis

Anaphylaxis is a severe allergic reaction that occurs after exposure to an allergen. The most common allergens for school-aged children are nuts, eggs, cow's milk, fish, shellfish, wheat, soy, sesame, latex, certain insect stings and medication.

#### *Symptoms*

Signs and symptoms of a mild to moderate allergic reaction can include:

- Swelling of the lips, face and eyes
- Hives or welts
- Tingling in the mouth.

Signs and symptoms of anaphylaxis, a severe allergic reaction, can include:

- Difficult/noisy breathing
- Swelling of tongue
- Difficulty talking and/or hoarse voice
- Wheeze or persistent cough
- Persistent dizziness or collapse
- Student appears pale or floppy
- Abdominal pain and/or vomiting.

Symptoms usually develop within ten minutes and up to two hours after exposure to an allergen but can appear within a few minutes.

### *Treatment*

Adrenaline given as an injection into the muscle of the outer mid-thigh is the first aid treatment for anaphylaxis.

Individuals diagnosed as being at risk of anaphylaxis are prescribed an adrenaline autoinjector for use in an emergency. These adrenaline autoinjectors are designed so that anyone can use them in an emergency.

### **Individual Anaphylaxis Management Plans**

All students at Elevation Secondary College who are diagnosed by a medical practitioner as being at risk of suffering from an anaphylactic reaction must have an Individual Anaphylaxis Management Plan. When notified of an anaphylaxis diagnosis, the principal of Elevation Secondary College is responsible for developing a plan in consultation with the student's parents/carers.

Where necessary, an Individual Anaphylaxis Management Plan will be in place as soon as practicable after a student enrolls at Elevation Secondary College and where possible before the student's first day.

Parents and carers must:

- Obtain an ASCIA Action Plan for Anaphylaxis from the student's medical practitioner and provide a copy to the school as soon as practicable
- Immediately inform the school in writing if there is a relevant change in the student's medical condition and obtain an updated ASCIA Action Plan for Anaphylaxis
- Provide an up-to-date photo of the student for the ASCIA Action Plan for Anaphylaxis when that Plan is provided to the school and each time it is reviewed
- Provide the school with a current adrenaline autoinjector for the student that has not expired
- Participate in annual reviews of the student's Plan

Each student's Individual Anaphylaxis Management Plan must include:

- Information about the student's medical condition that relates to allergies and the potential for anaphylactic reaction, including the type of allergies the student has
- Information about the signs or symptoms the student might exhibit in the event of an allergic reaction based on a written diagnosis from a medical practitioner
- Strategies to minimise the risk of exposure to known allergens while the student is under the care or supervision of school staff, including in the school yard, at camps and excursions, or at special events conducted, organised or attended by the school
- The name of the person(s) responsible for implementing the risk minimisation strategies, which have been identified in the Plan
- Information about where the student's medication will be stored
- The student's emergency contact details
- An up-to-date ASCIA Action Plan for Anaphylaxis completed by the student's medical practitioner.

### *Review and updates to Individual Anaphylaxis Management Plans*

A student's Individual Anaphylaxis Management Plan will be reviewed and updated on an annual basis in consultation with the student's parents/carers. The Plan will also be reviewed and, where necessary, updated in the following circumstances:

- As soon as practicable after the student has an anaphylactic reaction at school
- If the student's medical condition, insofar as it relates to allergy and the potential for anaphylactic reaction, changes
- When the student is participating in an off-site activity, including camps and excursions, or at special events including fetes and concerts.

Our school may also consider updating a student's Individual Anaphylaxis Management Plan if there is an identified and significant increase in the student's potential risk of exposure to allergens at school.

### **Location of plans and adrenaline autoinjectors**

A copy of each student's Individual Anaphylaxis Management Plan will be stored with their ASCIA Action Plan for Anaphylaxis in the First Aid room. Students are encouraged to keep their adrenaline autoinjectors on their person. Adrenaline autoinjectors labelled "school use" are also available in the First Aid Room and all Co-Ordinators office and are labelled "school use".

Whilst some students keep their adrenaline autoinjector on their person, medication for those that do not will be stored and labelled with their name in the First Aid room, together with adrenaline autoinjectors for "general use".

Individual Management Plans will be posted and distributed in locations away from student thoroughfares and classrooms. This is a staff thoroughfare with no students allowed.

Similarly, the IMPs will be posted in the staff room in a location visible to staff but away from doors and windows where students may enter.

### **Risk Minimisation Strategies**

To reduce the risk of a student suffering from an anaphylactic reaction at Elevation Secondary College, we have put in place the following strategies and a communication plan, which will include information about what steps will be taken to respond to an anaphylactic reaction by a student:

- in a classroom
- in the school yard
- on school excursions
- on school camps
- special event days conducted or organised by the school, such as sport days
- garbage bins at school are to remain covered with lids to reduce the risk of attracting insects
- gloves must be worn when picking up papers or rubbish in the playground
- school canteen staff are trained in appropriate food handling to reduce the risk of cross-contamination
- a general use adrenaline autoinjector will be stored in staff co-ordinators office in each individual building.
- Planning for off-site activities will include risk minimisation strategies for students at risk of anaphylaxis including supervision requirements, appropriate number of trained staff, emergency response procedures and other risk controls appropriate to the activity and students attending.

The principal of the school will be responsible for ensuring that a communication plan is developed to provide information to all staff, students and parents about anaphylaxis and the school's Anaphylaxis Management policy.

A copy of each student's ASCIA Action Plan must be taken on camps or excursions along with their EpiPen®/Anapen® (check that the student has theirs and take the student's spare EpiPen®/Anapen® from the First Aid cabinet located in the staff room).

Volunteers and casual relief staff working with students at risk of anaphylaxis will be informed of their role in responding to an anaphylactic reaction by a student in their care by a nominee on staff.

The principal is responsible for ensuring that all stored medication expiry dates are checked and replaced as necessary.

The Administration Officer will be responsible for communicating with parents within the first 2 weeks of Term 1, each school year to clarify triggers/symptoms or to notify the school of any new allergens. This information is to be passed onto all staff.

The principal is responsible for ensuring that all school staff are briefed at least twice a year (the first one to be held at the beginning of the school year) by a staff member who has up to-date anaphylaxis management training, on:

- the school's Anaphylaxis Management policy
- the causes, symptoms and treatment of anaphylaxis
- the identities of students diagnosed at risk of anaphylaxis and where their medication is located
- how to use an adrenaline auto-injecting device, including hands on practise with a trainer adrenaline auto-injecting device, and
- the school's first aid and emergency response procedures.

The principal will be responsible for signing the Anaphylaxis Risk Management checklist at the beginning of each school year.

To reduce the risk of a student suffering from an anaphylactic reaction at Elevation Secondary College, we have put in place the following strategies:

- Students being informed of dangers of allergens
- Students and parents encouraged not to include allergens in school lunches
- Publication of Anaphylactic student photos and plans in the main staff room
- Email distribution to staff of Anaphylactic student photos and list
- Planning for off-site activities will include risk minimisation strategies for students at risk of anaphylaxis including supervision requirements, appropriate number of trained staff, emergency response procedures and other risk controls appropriate to the activity and students attending

## Adrenaline autoinjectors for general use

Elevation Secondary College will maintain a supply of adrenaline autoinjector for general use, as a back-up to those provided by parents and carers for specific students, and also for students who may suffer from a first-time reaction at school.

Adrenaline autoinjectors for general use will be initially stored at the First Aid room and labelled "general use".

The principal is responsible for arranging the purchase of adrenaline autoinjectors for general use, and will consider:

- the number of students enrolled at Elevation Secondary College at risk of anaphylaxis
- the accessibility of adrenaline autoinjectors supplied by parents
- the availability of a sufficient supply of autoinjectors for general use in different locations at the school, as well as at camps, excursions and events
- The limited life span of adrenaline autoinjectors, and the need for general use adrenaline autoinjectors to be replaced when used or prior to expiry.
- The weight of the students at risk of anaphylaxis to determine the correct dosage of adrenaline autoinjector/s to purchase.

## Emergency Response

In the event of an anaphylactic reaction, the emergency response procedures in this policy must be followed, together with the school's general first aid procedures, emergency response procedures and the student's Individual Anaphylaxis Management Plan.

A complete and up-to-date list of students identified as being at risk of anaphylaxis is maintained by an Administration Officer and stored at the First Aid room.

For camps, excursions and special events, a designated staff member will be responsible for maintaining a list of students at risk of anaphylaxis attending the special event, together with their Individual Anaphylaxis Management Plans and adrenaline autoinjectors, where appropriate.

If a student experiences an anaphylactic reaction at school or during a school activity, school staff must:

Step	Action
1.	<ul style="list-style-type: none"><li>● Lay the person flat</li><li>● Do not allow them to stand or walk</li><li>● If breathing is difficult, allow them to sit</li><li>● Be calm and reassuring</li><li>● Do not leave them alone</li><li>● Seek assistance from another staff member or reliable student to locate the student's adrenaline autoinjector or the school's general use autoinjector, and the student's Individual Anaphylaxis Management Plan, stored at the First Aid room.</li><li>● If the student's plan is not immediately available, or they appear to be experiencing a first time reaction, follow steps 2 to 5</li></ul>
2.	<p>Administer an EpiPen or EpiPen Jr (if the student is under 20kg)</p> <ul style="list-style-type: none"><li>● Remove from plastic container</li><li>● Form a fist around the EpiPen and pull off the blue safety release (cap)</li></ul>

	<ul style="list-style-type: none"> <li>● Place orange end against the student's outer mid-thigh (with or without clothing)</li> <li>● Push down hard until a click is heard or felt and hold in place for 3 seconds</li> <li>● Remove EpiPen</li> <li>● Note the time the EpiPen is administered</li> <li>● Retain the used EpiPen to be handed to ambulance paramedics along with the time of administration.</li> </ul> <p><b>OR</b></p> <p>Administer an Anapen® 500, Anapen® 300, or Anapen® Jr.</p> <ul style="list-style-type: none"> <li>● Pull off the black needle shield</li> <li>● Pull off grey safety cap (from the red button)</li> <li>● Place needle end firmly against the student's outer mid-thigh at 90 degrees (with or without clothing)</li> <li>● Press red button so it clicks and hold for 3 seconds</li> <li>● Remove Anapen®</li> <li>● Note the time the Anapen is administered</li> <li>● Retain the used Anapen to be handed to ambulance paramedics along with the time of administration</li> </ul>
3.	Call an ambulance (000)
4.	If there is no improvement or severe symptoms progress (as described in the ASCIA Action Plan for Anaphylaxis), further adrenaline doses may be administered every five minutes, if other adrenaline autoinjectors are available.
5.	Contact the student's emergency contacts.

If a student appears to be having a severe allergic reaction but has not been previously diagnosed with an allergy or being at risk of anaphylaxis, school staff should follow steps 2 – 5 as above.

Schools can use either the EpiPen® and Anapen® on any student suspected to be experiencing an anaphylactic reaction, regardless of the device prescribed in their ASCIA Action Plan.

Where possible, schools should consider using the correct dose of adrenaline autoinjector depending on the weight of the student. However, in an emergency if there is no other option available, any device should be administered to the student.

### Communication Plan

This policy will be available on Elevation Secondary College's website so that parents and other members of the school community can easily access information about Elevation Secondary College's anaphylaxis management procedures. The parents and carers of students who are enrolled at Elevation Secondary College and are identified as being at risk of anaphylaxis will also be provided with a copy of this policy.

The principal is responsible for ensuring that all relevant staff, including casual relief staff, canteen contractors and volunteers are aware of this policy and Elevation Secondary College's procedures for anaphylaxis management. Casual relief staff and volunteers who are responsible for the care and/or supervision of students who are identified as being at risk of anaphylaxis will also receive a verbal briefing on this policy, their role in responding to an anaphylactic reaction and where required, the identity of students at risk.

The principal is also responsible for ensuring relevant staff are trained and briefed in anaphylaxis management, consistent with the Department's [Anaphylaxis Guidelines](#).

### **Staff training**

The principal will ensure that all school staff are appropriately trained in anaphylaxis management and are required to have completed:

- an approved face-to-face anaphylaxis management training course in the last three years, or
- an approved online anaphylaxis management training course in the last two years.

Elevation Secondary College uses the following training course ASCIA eTraining course (with 22579VIC, or 22578VIC or 10710 NAT].

The school will have two staff trained as Anaphylaxis Supervisor. All staff will complete the e-modules and complete the practical training within 30 days. All staff will be briefed twice yearly.

Staff are also required to attend a briefing on anaphylaxis management and this policy at least twice per year (with the first briefing to be held at the beginning of the school year), facilitated by a staff member who has successfully completed an anaphylaxis management course within the last 2 years including School Anaphylaxis Supervisors. Each briefing will address:

- this policy
- the causes, symptoms and treatment of anaphylaxis
- the identities of students with a medical condition that relates to allergies and the potential for anaphylactic reaction, and where their medication is located
- how to use an adrenaline autoinjector, including hands on practice with a trainer adrenaline autoinjector
- the school's general first aid and emergency response procedures
- the location of, and access to, adrenaline autoinjectors that have been provided by parents or purchased by the school for general use.

When a new student enrolls at Elevation Secondary College who is at risk of anaphylaxis, the principal will develop an interim plan in consultation with the student's parents and ensure that appropriate staff are trained and briefed as soon as possible.

A record of staff training courses and briefings will be maintained.

The principal will ensure that while students at risk of anaphylaxis are under the care or supervision of the school outside of normal class activities, including in the school yard, at camps and excursions, or at special event days, there is a sufficient number of school staff present who have been trained in anaphylaxis management.

## FURTHER INFORMATION AND RESOURCES

- The Department's Policy and Advisory Library (PAL)
  - [Anaphylaxis](#)
  - [Allergy & Anaphylaxis Australia](#)
  - <https://www2.education.vic.gov.au/pal/anaphylaxis/policy>
  - <https://www2.education.vic.gov.au/pal/anaphylaxis/guidance/6-school-anaphylaxis-management-policy>
- Allergy & Anaphylaxis Australia: [Risk minimisation strategies](#)
- ASCIA Guidelines: [Schooling and childcare](#)
- Royal Children's Hospital: [Allergy and immunology](#)
- Administration of Medication Policy
- First Aid Policy
- Health Care Needs Policy
- Medication Administration Log
- Medication Authority Form

## REVIEW CYCLE AND EVALUATION

The principal will complete the Department's Annual Risk Management Checklist for anaphylaxis management to assist with the evaluation and review of this policy and the support provided to students at risk of anaphylaxis.

## POLICY REVIEW AND APPROVAL

Policy last reviewed	March 2024
Approved by	School Council
Next scheduled review date	March 2025

The Principal will complete the Department's Annual Risk Management Checklist for anaphylaxis management to assist with the evaluation and review of this policy and the support provided to students at risk of anaphylaxis.